For the best selection of refrigeration products visit your local Liebherr authorised dealer.

Your local Liebherr authorised dealer will help you make the right choice of refrigeration for your lifestyle. Liebherr dealers are refrigeration experts and can give you all the detailed information on designs, technology, storage capacity and energy savings to ensure you have the refrigeration product to meet your family's requirements.

Ask your Liebherr authorised dealer for more detailed information about the other Liebherr refrigeration products in the brochures shown on this page – Wine Storage, BioFresh Appliances, Food storage centers, Built-in, Sales Manual, etc. or visit our website at **www.liebherr.com**

Liebherr Domestic Appliances – Online Advice

You will find the latest information on the current range of freestanding and built-in refrigerators and freezers on our website.
You can download or order any of the brochures through the site.

Smart Communication

Find out more about BioFresh, NoFrost and Wine with the Liebherr tags.
Just scan the code with your Smartphone or visit us on
biofresh.liebherr.com, nofrost.liebherr.com and wine.liebherr.com

BioFresh NoFrost Wine

Get the free mobile App at: http://gettag.mobi

Interesting Apps

Useful and enjoyable apps covering information from the selection of models to wine reference.
Now available from the Apple app store. (Search: Liebherr)

IceCrusher

WineGuide

BioFresh

Kitchen Photo Designer

Subject to modification. Printed in Germany by Eberl. 7943 094-07/1.2/01.2012

MIX
Paper from responsible sources
FSC® C002727
FSC www.fsc.org

www.liebherr.com

Freestanding
Refrigeration & Freezing
2012

LIEBHERR

Quality, Design and Innovation

SBSes 8283

1 Know-how that matters!

Liebherr-Hausgeräte has specialised in developing and manufacturing first class refrigerators and freezers of premium quality and cutting edge design for over 50 years. Innovative ideas are constantly added to the products for enhancing freshness, improving ease-of-use and saving even more energy to raise customer product value.

2 Premium product quality

To ensure the renowned Liebherr quality, only first class components are used. For example, accurate electronic control systems are used in conjunction with optimised refrigeration components. During the manufacturing process the appliances undergo comprehensive testing and inspection to ensure perfect workmanship and flawless functionality. This means Liebherr appliances have a long service life.

3 Innovative ideas

Liebherr appliances boast a compelling array of innovative ideas. Take, for example, the freestanding Premium appliances with the new electronic control system and user-friendly Touch feature, or the PremiumPlus models with the innovative LED lighting, convenient IceMaker with TwistTray, or GlassLine shelves for versatile use.

4 Classical design

The combination of classical, timeless design with high quality materials like glass and stainless steel makes Liebherr appliances the focal point in any kitchen.

5 Environmentally friendly

For Liebherr, being actively green starts at the very beginning of the design process. In keeping with this ethos, Liebherr uses high quality components for its appliances to provide long and safe operation and top energy efficiency. All plastics are marked for recycling. The manufacturing processes are also geared to efficient use of resources. To give one example: the heat naturally generated during manufacture of the appliances is recycled as heating energy. All european manufacturing sites are certified with the international environmental management standard ISO 14001.

6 Super energy efficiency

By deploying state-of-the-art, precision electronics combined with finely tuned, highly efficient refrigeration systems, Liebherr offers a wide range of energy saving appliances. All the product groups feature models securing great savings in the A++ and A+++ top energy efficiency classes. Benchmarks for a new dimension of energy efficiency are set by appliances in Liebherr's additional A+++ energy efficiency class.

7 BioFresh feature

With over fifteen years experience and 1 million BioFresh appliances sold, Liebherr have been using BioFresh technology to retain the healthy vitamins, aroma and appetising appearance of fresh food for up to three times longer than in a conventional fridge. Through this advanced technology the temperature is accurately kept at just above 0°C with the perfect humidity required for different food types – HydroSafes with high humidity or DrySafes with low humidity – for a versatile storage solution.

8 NoFrost–professional quality freezing performance

The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

9 Perfect climate for fine wines

Liebherr's wine storage cabinets and multi-temperature wine cabinets are designed specifically to store wine in its optimum environment. These appliances feature state-of-the-art electronic control systems, special vibration free compressors and a host of features such as tinted glazed doors, activated charcoal filters or stable, hand crafted wooden shelves on telescopic rails.

10 Awards given to the range

The high product and design quality of Liebherr appliances is confirmed by independent institutions. The CBNes 6256 Frenchdoor fridge-freezer was awarded the reddot design award 2010 and the iF product design award 2011. In addition, this model won the PlusX title as the best Side-by-Side refrigerator freezer of the year 2010 and was awarded for High Quality, Design and Ease of Use.

reddot design award best of the best 2010

Innovative ideas combined with outstanding design and superior quality



Super savings in energy consumption

Many Liebherr fridges and freezers come in the best energy efficiency classes A++ and A+++ and are therefore the top energy savers in any home.

Using state-of-the-art electronic control units in conjunction with optimised refrigerating systems has achieved a further significant reduction in energy consumption in comparison with previous economical models.

SBSes 7165

Page

BioFresh appliances 8

Fridge-freezers 21

Top mount fridge-freezers 30

Upright fridges 36

Table-height fridges 42

Food storage centers 50

Upright freezers 60

Chest freezers 72

Wine and Lifestyle 78

Accessoires 84

Innovative ideas from Liebherr

As a specialist in refrigerators and freezers, Liebherr is consistently developing new and innovative solutions to boost freshness, enhance ease-of-use and save even more energy.

BioFresh from Liebherr – the healthy option

In the **BioFresh compartments** food retains its healthy vitamins, aroma and appetising appearance up to three times longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity – HydroSafes with high humidity or DrySafes with low humidity – for a versatile storage solution.
Independent studies confirm, for example, that there is even an increase in the vitamin C content of many types of food when they are stored in the **BioFresh safe.** The natural loss of moisture in fruit and vegetables is significantly reduced.

Environmentally friendly and efficient

Back in 1993, Liebherr became the first manufacturer in the world to change to environmentally-friendly CFC- and FC-free refrigerants for the entire range of freestanding appliances. And by bringing together highly efficient refrigeration circuits and state-of-the-art precision electronic controls, Liebherr offers almost its entire range in the top energy efficiency classes A+, A++ and A+++.

NoFrost – professional quality freezing performance

The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.
With the automatic **SuperFrost** function, temperatures as low as -32 °C are reached quickly and efficiently. This means food can be frozen at its highest quality to best preserve the vitamins, taste and appearance. After the SuperFrost function is over, the appliance automatically switches back to its normal mode.

For discerning connoisseurs

Perfect conditions are essential for a good wine to mature into a premium vintage and to ensure that its long-term value is upheld. Liebherr's wine storage cabinets and multi-temperature wine cabinets are the perfect solution. Incorporating the latest climate technology, they provide the ideal conditions for wine to mature in peace and reach the peak of flavour.

The **BioFresh** drawers extend on smooth running **telescopic rails**. The drawers are integrated almost flush into the fridge compartment and can be pulled out and removed with a door opening angle of 90°.

In the **PremiumPlus appliances** the BioFresh compartments have **LED lighting**, ensuring an ideal, clear view of the food stored inside. The LED lighting is elegantly integrated into the side wall for a flush finish.

The **humidity control plates** allow the humidity to be set individually in both compartments, enabling each one to be used as a HydroSafe or as a DrySafe.

BioFresh – Maximising the life of fresh produce

Creative cooking with family and friends is a new trend in modern cuisine. And nowadays enjoying healthy meals is simple to achieve as fresh food provides all the vitamins, mineral nutrients and trace elements our bodies need everyday. It is important not only to buy really fresh food, but also to ensure it's perfectly stored at home. Since not all types of food need the same temperature and humidity conditions, Liebherr has come up with the additional temperature zone – BioFresh – where many types of food can be kept fresh for up to three times longer than in a traditional refrigerator compartment.

In the **BioFresh compartments** food retains its healthy vitamins, aroma and appetising appearance up to three times longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C.
Each drawer can be used individually and provides ideal humidity – **HydroSafes** with high humidity or **DrySafes** with low humidity – for a versatile storage solution.

BioFresh – Take a fresh look at healthy eating

Liebherr's BioFresh technology gives your quality of life a decisive boost by keeping your food for up to three times longer than in a conventional fridge compartment.

Salad + 8 days

Prawns + 1 days

Raspberries + 2 days

Artichokes + 7 days

Grapes + 17 days

Carrots + 30 days

Asparagus+ 8 days

Apple + 30 days

Bio Fresh Plus

At a temperature of just above 0°C, the humidity of both drawers can be set for DrySafe or HydroSafe use. The low humidity for the **DrySafe** is ideal for storing meat, fish and dairy products. Fruit and vegetables are best kept in the **HydroSafe** with a high level of humidity.

The **BioFresh-Plus** technology provides yet more flexibility for tailored storage. The separate BioFresh-Plus electronic control system allows the temperature in the top drawer to be lowered to **-2°C** for storing fish. Together with the DrySafe setting, fish is kept fresh even longer.

Exotic fruits find ideal storage conditions in the top adjustable safe at **+6°C** and a high level of humidity.

In the PremiumPlus appliances the BioFresh compartments have **LED lighting**, ensuring an ideal, clear view of the food stored inside. The LED lighting is elegantly integrated into the side wall for a flush finish.

The **HomeDialog system** allows you to control a NoFrost premium freezer from the LCD display pane in your fridge freezer. Interconnection is possible with the Power-Line Module, available as a chargable optional extra (HomeDialog-ready). The only requirement is that both appliances are connected by the same electrical ring main.

The **electronic LCD display** is an innovative design feature. Clear menu navigation and a Touch-electronic control system provides yet more information for tailored storage conditions. The **Touch-electronic navigation** ensures easy selection and use of the numerous control functions.

The **SoftSystem** feature provides added safety and convenience. Integrated in the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded. The door closes automatically from an opening angle of approximately 45 °.

Electronic control system
- LCD display in door with LCD Touch-electronic display
- DuoCooling: Separate temperature regulation for refrigerator compartment and freezer compartment
- Automatic SuperCool function
- Automatic SuperFrost function, quantity-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- HomeDialog system
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl, child lock and holiday mode

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine door racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with elegant holding columns for rearrangement of the glass shelves
- LED light column
- Integrated bottle shelf
- Rearrangeable, removable Vario boxes
- Egg tray

BioFresh compartment
- Automatic defrosting, forced air cooling
- BioFresh-Plus, adjustable temperature range
- LED interior light
- Pull-out BioFresh safes mounted on telescopic rails with flexible humidity control for use as DrySafes or HydroSafes for longer freshness of fruit, vegetables, meat and dairy products

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- IceMaker with fixed water connection 3/4"

Features
- SwingLine design
- Stainless steel slimline door handles with integrated opening mechanism
- SoftSystem: cushioned door closure
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

BioFresh-Plus fridge-freezer		CBNPes 3967 PremiumPlus
Total net capacity	Fridge compartment	241 litre
	Including BioFresh compartment	81 litre
	Freezer compartment	85 litre
Energy efficiency class energy cons. in 365 days/24 h		A++ 264/0.723 kWh
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		201.1/60/63
Adjustable cooling circuits		2 - DuoCooling
Door/Side walls		Stainless steel with SmartSteel/stainless steel

BioFresh fridge-freezers

Electronic control system with CBNPgb 3956
- MagicEye Touch-electronic control with digital temperature display
- DuoCooling: Separate temperature regulation for refrigerator compartment and freezer compartment
- Automatic SuperCool function
- Automatic SuperFrost function, quantity-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- HomeDialog system
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl, child lock and holiday mode

Electronic control system with Comfort models
- MagicEye control with LED temperature display
- DuoCooling: Separate temperature regulation for refrigerator compartment and freezer compartment
- Automatic SuperFrost function, time-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- Control lamps for mains, alarm and SuperFrost

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine door racks with bottle and can holders (with CBNPgb 3956)
- Comfort GlassLine door racks with bottle and can holders (with Comfort models)
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Flush-fitted Premium ceiling lighting (except CBN(esf) 3913)
- Comfort ceiling light (with CBN(esf) 3913)
- Integrated bottle shelf for versatile use (with CBNPgb 3956)
- Rearrangeable, removable Vario boxes (with CBNPgb 3956)
- Egg tray

BioFresh compartment
- Automatic defrosting, forced air cooling
- Pull-out BioFresh safes mounted on telescopic rails
- DrySafe – for fish, meat and dairy products
- HydroSafe – for fruit and vegetables, adjustable humidity level

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Ice cube tray

Features
- SwingLine design (except CBNPgb 3956)
- Slimline door handles with integrated opening mechanism (except CBNPgb 3956)
- Recessed grip (with CBNPgb 3956)
- SoftSystem: cushioned door closure (with CBNPgb 3956)
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

Featuring a glass front in cool white or elegant black, the **GlassEdition** appliances are the highlight of any kitchen. The handle is incorporated at the side of the appliance for full visual impact of the glass front and for complementing the design scheme of handle-free ktichens. The glass is scratch-resisitant.

DuoCooling uses two separate cooling circuits to independently control fridge and freezer compartment temperatures. With DuoCooling there is no air exchange between fridge and freezer compartments so odour transfer is prevented and food is stored in optimum conditions.

The elegant, high precision **MagicEye control** unit featuring the innovative **Touch-electronic control** concept ensures that the selected temperatures are kept to the exact degree required. The Touch-electronic panel makes the control of all the functions easy and convenient to use.

BioFresh fridge-freezers		CBNPgb 3956 Premium	CBNesf 5113 Comfort	CBNesf 3913 Comfort	CBN 3913 Comfort
Total net capacity	Fridge compartment	243 litre	300 litre	246 litre	246 litre
	Including BioFresh compartment	86 litre	107 litre	86 litre	86 litre
	Freezer compartment	89 litre	115 litre	89 litre	89 litre
Energy efficiency class energy cons. in 365 days/24 h		A++ 268/0.734 kWh	A 402/1.100 kWh	A 359/0.983 kWh	A 359/0.983 kWh
Climate rating		SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)		201.1/60/65	202/75/63	201.1/60/63	201.1/60/63
Adjustable cooling circuits		2 - DuoCooling	2 - DuoCooling	2 - DuoCooling	2 - DuoCooling
Door/Side walls		Glass front black/silver	Stainless steel with SmartSteel/silver	Stainless steel with SmartSteel/silver	white/white

BioFresh refrigerators

With **BioFresh** food retains its healthy vitamins, aroma and appetising appearance up to three times longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above 0°C. Each drawer can be used individually and provides ideal humidity – **HydroSafes** with high humidity or **DrySafes** with low humidity.

The elegant, high precision **MagicEye** control unit featuring the innovative **Touch-electronic control** concept ensures that the selected temperatures are kept to the exact degree required. The Touch-electronic panel makes the control of all the functions easy and convenient to use.

Nearly all the stainless steel doors come with a SmartSteel surface. **SmartSteel** significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.

KBes 4260

Electronic control system
- MagicEye Touch-electronic control with digital temperature display (with KBes 4260)
- MagicEye control with LED temperature display (with KB 4210)
- Automatic SuperCool function
- HomeDialog-ready (with KBes 4260)
- Control lamps for mains, alarm and SuperCool

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine door racks with bottle and can holders (with KBes 4260)
- Comfort GlassLine door racks with bottle and can holders (with KB 4210)
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Flush-fitted Premium ceiling lighting (with KBes 4260)
- Comfort ceiling light (with KB 4210)
- Integrated bottle shelf for versatile use (with KBes 4260)
- Rearrangeable, removable Vario boxes (with KBes 4260)
- Egg tray

BioFresh compartment
- Automatic defrosting, forced air cooling
- Pull-out BioFresh safes mounted on telescopic rails
- DrySafe – for fish, meat and dairy products
- HydroSafe – for fruit and vegetables, adjustable humidity level

Features
- SwingLine design
- Slimline door handle with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

Dual purpose storage with the **integrated glass shelf** and bottle shelf. One conveniently stores beneath the other when not in use. When using the bottle shelf, move the door rack upwards allowing taller bottles to be stored.

The high performance **forced air system** ensures rapid cooling of food and an even temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the refrigerator.

BioFresh refrigerators	KBes 4260 Premium	KB 4210 Comfort
Total net capacity Fridge compartment	358 litre	364 litre
Including BioFresh compartment	117 litre	117 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 133/0.364 kWh	A 178/0.487 kWh
Climate rating	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	185.2/60/63	185.2/60/63
Adjustable cooling circuits	1	1
Door/Side walls	Stainless steel with SmartSteel/stainless steel	white/white

NoFrost fridge-freezers

Electronic control system
- MagicEye with LED temperature display
- DuoCooling: Separate temperature regulation for refrigerator and freezer compartment
- Automatic SuperFrost function, time-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- Control lamps for mains, alarm, SuperFrost

Features
- SwingLine design
- Slimline door handles with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- GlassLine door racks with bottle and can holders (with CNP(esf) models)
- Comfort GlassLine door racks with bottle and can holders (with CN(esf)/CNsl models)
- Flush-fitted Premium ceiling lighting (with CN(esf) 5113)
- Comfort ceiling light (with CNP(esf) models)
- Interior light (with CNsl 3033)
- Fruit and vegetables bins, with pull-out roller system (except CNsl 3033)
- Bottle shelf
- Rearrangeable, removable Vario boxes (with CNP(esf) models)
- Egg tray

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Ice cube tray

NoFrost
The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

The **transparent vegetable bins** running on rollers are designed to provide a clear view of the stored food – sliding out effortlessly on the roller system.

The **Comfort ceiling lighting** bathes the entire interior in bright light. This gives you an unparalleled view of the inside of the appliance.

NoFrost fridge-freezers		CNesf 5113 Comfort	CNP 3913 Comfort	CNPesf 3513 Comfort	CNsl 3033 Comfort
Total net capacity	Fridge compartment	327 litre	231 litre	231 litre	197 litre
	Freezer compartment	115 litre	123 litre	89 litre	79 litre
Energy efficiency class	energy cons. in 365 days/24 h	A 384/1.050 kWh	A++ 269/0.735 kWh	A++ 242/0.661 kWh	A 284/0.777 kWh
Climate rating		SN-T	SN-T	SN-T	SN-ST
Exterior dimensions in cm	(h/w/d)	202/75/63	201.1/60/63	181.7/60/63	180/55/62.9
Adjustable cooling circuits		2 - DuoCooling	2 - DuoCooling	2 - DuoCooling	2 - DuoCooling
Door/Side walls		Stainless steel with SmartSteel/silver	white/white	Stainless steel with SmartSteel/silver	silver/silver
Also available as		**CN 5113** in white/white	**CNPesf 3913** in Stainless steel with SmartSteel/silver	**CNP 3513** in white/white	

BioFresh fridge-freezers and refrigerators

Type/model numbers	**CBNPes 3967** PremiumPlus	**CBNPgb 3956** Premium	**CBNesf 5113** Comfort	**CBNesf 3913** Comfort	**KBes 4260** Premium	**KB 4210** Comfort
Also available in white as				**CBN 3913**		
Model classification [1]	10	10	10	10	10	10
Energy efficiency class	A+++	A+++	A++	A++	A+++	A++
Energy consum. in 365 days / 24 h [2]	264 / 0.723 kWh	268 / 0.734 kWh	402 / 1.100 kWh	359 / 0.983 kWh	133 / 0.364 kWh	178 / 0.487 kWh
Total net capacity	326 litre	332 litre	415 litre	335 litre	358 litre	364 litre
Fridge compartment	241 litre	243 litre	300 litre	246 litre	358 litre	364 litre
Including BioFresh compartment	81 litre	86 litre	107 litre	86 litre	117 litre	117 litre
Freezer compartment	85 litre	89 litre	115 litre	89 litre		
Star coding [3]	****	****	****	****		
Storage time during malfunctions	30 h	30 h	30 h	25 h		
Freezing capacity in 24 hours	16 kg	16 kg	14 kg	16 kg		
Climate rating [4]	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level re 1 pW	41 dB(A)	41 dB(A)	42 dB(A)	41 dB(A)	40 dB(A)	40 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.4 A	1.4 A	1.5 A	1.4 A	1.2 A	1.2 A
Fridge compartment						
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Forced air system	•	•	•	•	•	•
Interior light	LED-light column	Premium	Premium	Comfort	Premium	Comfort
BioFresh-Safes	2	2	2	2	3	3
BioFresh-Plus, adjustable	•					
BioFresh light	LED					
Bottle shelf	for variable use	for variable use	subsequently		for variable use	
Door interior	GlassLine	GlassLine	Comfort GlassLine	Comfort GlassLine	GlassLine	Comfort GlassLine
VarioBoxes	•	•			•	
Freezer compartment						
NoFrost / SmartFrost	NoFrost	NoFrost	NoFrost	NoFrost		
Defrosting	Automatic	Automatic	Automatic	Automatic		
Cold storage accumulators	2	2				
IceMaker [5]	fix. wat. connec. 3/4"					
Ice cube capacity in 24 hours	0.8 kg					
Ice cube stock	1.5 kg					
Dimensions						
Height x Width	201.1 x 60 cm	201.1 x 60 cm	202 x 75 cm	201.1 x 60 cm	185.2 x 60 cm	185.2 x 60 cm
Depth incl. distance from wall	63 cm	65 cm	63 cm	63 cm	63 cm	63 cm
Features						
Interface	HomeDialog	HomeDialog			HomeDialog-ready	
SoftSystem / SmartSteel	• / •	• / –	– / •	– / •	– / •	– / –
Design	SwingLine	GlassEdition	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84 – 87)	03, 04, 05, 06, 07, 13	02, 03, 04, 14	02, 03	02, 03, 04	02, 14	02

NoFrost fridge-freezers

Type/model numbers	**CNesf 5113** Comfort	**CNPesf 3913** Comfort	**CNPesf 3513** Comfort	**CNsl 3033** Comfort
Also available in white as	**CN 5113**	**CNP 3913**	**CNP 3513**	
Model classification [1]	07	07	07	07
Energy efficiency class	A+	A++	A++	A+
Energy consum. in 365 days / 24 h [2]	384 / 1.050 kWh	269 / 0.735 kWh	242 / 0.661 kWh	284 / 0.777 kWh
Total net capacity	442 litre	354 litre	320 litre	276 litre
Fridge compartment	327 litre	231 litre	231 litre	197 litre
Freezer compartment	115 litre	123 litre	89 litre	79 litre
Star coding [3]	****	****	****	****
Storage time during malfunctions	30 h	31 h	30 h	18 h
Freezing capacity in 24 hours	14 kg	16 kg	16 kg	10 kg
Climate rating [4]	SN-T	SN-T	SN-T	SN-ST
Noise level re 1 pW	42 dB(A)	41 dB(A)	41 dB(A)	42 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.5 A	1.4 A	1.4 A	1.0 A
Fridge compartment				
Defrosting	Automatic	Automatic	Automatic	Automatic
Forced air system	•	•	•	•
Interior light	Premium	Comfort	Comfort	light bulb
Fruit and vegetable bins	2	2	2	2
running on rollers	•	•	•	
Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf
Door interior	Comfort GlassLine	GlassLine	GlassLine	Comfort GlassLine
VarioBoxes		•	•	
Freezer compartment				
NoFrost / SmartFrost	NoFrost	NoFrost	NoFrost	NoFrost
Defrosting	Automatic	Automatic	Automatic	Automatic
Ice cube tray	•	•	•	•
Dimensions				
Height x Width	202 x 75 cm	201.1 x 60 cm	181.7 x 60 cm	180 x 55 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	62.9 cm
Features				
SmartSteel	•	•	•	
Design	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84 – 87)	02, 03	02, 03, 04	02, 03, 04	02, 03, 04

1 Model classification **07:** Fridge-freezers (4-star freezer compartment)
10: BioFresh fridge-freezer
10: BioFresh refrigerators

2 Commission Delegated Regulation (EU) No 1060/2010

3 **** freezer compartment with -18 °C or colder

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C
N +16 °C to +32 °C **T** +16 °C to +43 °C

5 **IceMaker** – automatic ice-cube maker (can be switched off) with fixed water connection 3/4" and solenoid valve (needs to be plumped in)

CUNesf 3523

NoFrost fridge-freezers

The **MagicEye control** keeps the temperature at exactly the level you select. It is simple and convenient to use. The **automatic SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.

The **bottle shelf** is a practical and elegant solution for storing drinks. As many as five bottles can be chilled and stored neatly.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.

The distinctive **GlassLine equipment** in Comfort models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.

Nearly all the stainless steel doors come with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.

The **NoFrost system** from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

NoFrost fridge-freezers

Electronic control system
- MagicEye with LED temperature display
- Automatic SuperFrost function, time-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- Control lamps for mains, alarm, SuperFrost

Fridge compartment
- Automatic defrosting
- GlassLine storage shelves
- Comfort GlassLine door racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Comfort ceiling lighting (except CUN 3033)
- Interior light
- Fruit and vegetable bins
- Bottle shelf
- Egg tray

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Ice cube tray

Features
- SwingLine design
- Slimline door handles with integrated opening mechanism (except CUN 3033)
- Ergonomic handles (with CUN 3033)
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

The **Comfort ceiling lighting** bathes the entire interior in bright light. This gives you an unparalleled view of the inside of the appliance.

The **bottle shelf** is a practical and elegant solution for storing drinks. As many as five bottles can be chilled and stored neatly.

Freezer drawers and glass shelves can be removed. **VarioSpace** – the practical storage solution for larger produce.

NoFrost fridge-freezers	**CUN 4023** Comfort	**CUNesf 3923** Comfort	**CUN 3523** Comfort	**CUN 3123** Comfort	**CUN 3033** Comfort
Total net capacity Fridge compartment	282 litre	232 litre	232 litre	183 litre	199 litre
Freezer compartment	89 litre	123 litre	89 litre	89 litre	79 litre
Energy efficiency class energy cons. in 365 days/24 h	A 343/0.939 kWh	A 359/0.981 kWh	A 323/0.883 kWh	A 303/0.828 kWh	A 285/0.779 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-ST
Exterior dimensions in cm (h/w/d)	201.1/60/63	201.1/60/63	181.7/60/63	162.3/60/63	180/55/62.9
Adjustable cooling circuits	1	1	1	1	1
Door/Side walls	white/white	Stainless steel with SmartSteel/silver	white/white	white/white	white/white
Also available as		**CUN 3923** in white/white	**CUNesf 3523** in Stainless steel with SmartSteel/silver		

SmartFrost fridge-freezers

The **MagicEye with LED temperature display** is easy and convenient to use. The **SuperFrost function** makes freezing simple by quickly reducing the temperature in the freezer compartment ensuring fast freezing of your fresh produce, preserving vitamin and mineral content in the process.

SmartFrost and VarioSpace
Compared to other static freezers, Liebherr's SmartFrost technology freezes food faster, and reduces ice build-up, making defrosting simpler and quicker. It also provides a more flexible storage area with greater capacity and improved energy consumption for lower running costs. With VarioSpace, freezer drawers and glass shelves can be removed. VarioSpace – the practical storage solution for larger produce.

Bottle shelf
The bottle shelf is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.

CP 4023

Electronic control system
- MagicEye with LED temperature display
- DuoCooling: Separate temperature regulation for refrigerator and freezer compartment
- Automatic SuperFrost function, time-controlled
- Control lamps for mains, alarm and SuperFrost

Fridge compartment
- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Comfort GlassLine door racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Comfort ceiling lighting
- Fruit and vegetable bins
- Bottle shelf
- Egg tray

Freezer compartment
- SmartFrost: Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Ice cube tray

Features
- SwingLine design
- Slimline door handles with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

Liebherr have now redefined energy saving with the innovative **A++** fridge-freezers. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced. This super energy-saving solution actively contributes to environmental conservation.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.

SmartFrost fridge-freezers	CPesf 4023 Comfort	CP 4023 Comfort
Total net capacity Fridge compartment	281 litre	281 litre
Freezer compartment	91 litre	91 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 247/0.674 kWh	A++ 247/0.674 kWh
Climate rating	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	201.1/60/63.1	201.1/60/63.1
Adjustable cooling circuits	2 - DuoCooling	2 - DuoCooling
Door/Side walls	Stainless steel with SmartSteel/silver	white/white

SmartFrost fridge-freezers

Mechanic control system

Fridge compartment
- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Comfort GlassLine door racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Interior light
- Fruit and vegetable bins
- Bottle shelf (except CUP 2221)
- Egg tray

Freezer compartment
- SmartFrost: Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Ice cube tray

Features
- SwingLine design
- Slimline door handles with integrated opening mechanism (exept CUP 2221)
- Ergonomic handles (with CUP 2221)
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

Compared to other static freezers, Liebherr's **SmartFrost technology** freezes food faster, and reduces ice build-up, making defrosting simpler and quicker. It also provides a more flexible storage area with greater capacity and improved energy consumption for lower running costs.

The distinctive **GlassLine equipment** in Comfort models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at diff erent heights, as required.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.

SmartFrost fridge-freezers	CUP 3221 Comfort	CUPsl 3021 Comfort	CUP 2901 Comfort	CUPsl 2721 Comfort	CUP 2221 Comfort
	SmartFrost A++	SmartFrost A+	SmartFrost A++	SmartFrost A+	SmartFrost A+
Total net capacity Fridge compartment	199 litre	199 litre	199 litre	199 litre	142 litre
Freezer compartment	85 litre	85 litre	54 litre	54 litre	54 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 217/0.594 kWh	A+ 277/0.757 kWh	A++ 197/0.538 kWh	A+ 252/0.689 kWh	A+ 230/0.630 kWh
Climate rating	SN-T	SN-ST	SN-T	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	181.7/60/62.9	180/55/62.9	162.3/60/63.6	160/55/62.9	136/55/62.9
Adjustable cooling circuits	1	1	1	1	1
Door/Side walls	white/white	silver/silver	white/white	silver/silver	white/white
Also available as	**CUPsl 3221** in silver/silver	**CUP 3021** in white/white		**CUP 2721** in white/white	

NoFrost fridge-freezers

SmartFrost fridge-freezers

Type/model numbers	CUN 4023 Comfort	CUNesf 3923 Comfort	CUNesf 3523 Comfort	CUN 3123 Comfort	CUN 3033 Comfort	CPesf 4023 Comfort	CUPsl 3221 Comfort	CUPsl 3021 Comfort	CUP 2901 Comfort	CUPsl 2721 Comfort	CUP 2221 Comfort
Also available in white as		CUN 3923	CUN 3523			CP 4023	CUP 3221	CUP 3021		CUP 2721	
Model classification [1]	07	07	07	07	07	07	07	07	07	07	07
Energy efficiency class	A	A	A	A	A	A++	A++	A	A++	A	A
Energy consum. in 365 days / 24 h [2]	343 / 0.939 kWh	359 / 0.981 kWh	323 / 0.883 kWh	303 / 0.828 kWh	285 / 0.779 kWh	247 / 0.674 kWh	217 / 0.594 kWh	277 / 0.757 kWh	197 / 0.538 kWh	252 / 0.689 kWh	230 / 0.630 kWh
Total net capacity	371 litre	355 litre	321 litre	272 litre	278 litre	372 litre	284 litre	284 litre	253 litre	253 litre	196 litre
Fridge compartment	282 litre	232 litre	232 litre	183 litre	199 litre	281 litre	199 litre	199 litre	199 litre	199 litre	142 litre
Freezer compartment	89 litre	123 litre	89 litre	89 litre	79 litre	91 litre	85 litre	85 litre	54 litre	54 litre	54 litre
Star coding [3]	****	****	****	****	****	****	****	****	****	****	****
Storage time during malfunctions	25 h	25 h	30 h	30 h	18 h	25 h	25 h	27 h	25 h	25 h	25 h
Freezing capacity in 24 hours	16 kg	16 kg	16 kg	16 kg	10 kg	12 kg	4 kg	4 kg	4 kg	4 kg	4 kg
Climate rating [4]	SN-T	SN-T	SN-T	SN-T	SN-ST	SN-T	SN-T	SN-ST	SN-T	SN-ST	SN-ST
Noise level re 1 pW	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	42 dB(A)	39 dB(A)	40 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.4 A	1.4 A	1.4 A	1.4 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A
Fridge compartment											
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Interior light	Comfort	Comfort	Comfort	Comfort	light bulb	Comfort	light bulb	light bulb	light bulb	light bulb	light bulb
Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf		Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf	
Door interior	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Plastic
Freezer compartment											
NoFrost / SmartFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual	Manual	Manual
CoolPlus							•	•	•	•	•
Ice cube tray	•	•	•	•	•	•	•	•	•	•	•
Dimensions											
Height x Width	201.1 x 60 cm	201.1 x 60 cm	181.7 x 60 cm	162.3 x 60 cm	180 x 55 cm	201.1 x 60 cm	181.7 x 60 cm	180 x 55 cm	162.3 x 60 cm	160 x 55 cm	136 x 55 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	62.9 cm	63.1 cm	62.9 cm	62.9 cm	63.6 cm	62.9 cm	62.9 cm
Features											
Slimline door handles	•	•	•	•	•	•	•	•	•	•	•
with integr. opening mechanism	•	•	•	•		•	•	•	•	•	
SmartSteel		•	•			•					
Electronic control	•	•	•	•	•	•					
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84–87)	02, 03, 04	02, 03, 04	02, 03, 04	02, 03, 04	02, 03	02, 03, 04	02, 03	02, 03	02, 03	02, 03	02, 03

1 Model classification **07:** Fridge-freezers (4-star freezer compartment)

2 Commission Delegated Regulation (EU) No 1060/2010

3 **** freezer compartment with -18 °C or colder

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C **N** +16 °C to +32 °C **T** +16 °C to +43 °C

Top mount fridge-freezers

NoFrost
The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

Automatic SuperFrost
The SuperFrost function makes freezing simple by quickly reducing the temperature in the freezer compartment ensuring fast freezing of your fresh produce, preserving vitamin and mineral content in the process.

Forced air system
The high-performance forced air system ensures rapid cooling of food and an even cooling temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the fridge.

GlassLine interior
The distinctive GlassLine equipment in Premium models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass, as are the racks with stainless steel trims in the door interior. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.

Bottle shelf
The bottle shelf is the practical and elegant answer for storing drinks. As many as five bottles can be chilled and stored neatly.

Vegetable compartment
The practical and easy-to-clean vegetable compartment provides plenty of space for storing fruit and vegetables.

Top mount NoFrost fridge-freezer

CTNes 4753 Premium

Total net capacity	Fridge compartment	329 litre
	Freezer compartment	84 litre
Energy efficiency class energy cons. in 365 days/24 h		A 355/0.970 kWh
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		186/75/63
Adjustable cooling circuits		2 - DuoCooling
Door/Side walls		Stainless steel with SmartSteel/stainless steel

Top mount SmartFrost fridge-freezers

Mechanic control system

Fridge compartment
- Automatic defrosting
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- Comfort GlassLine door rack with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Interior light
- Fruit and vegetable bins
- Egg tray

Freezer compartment
- SmartFrost: Easy defrosting with smooth and easy-to-clean interior
- CoolPlus
- Ice cube tray

Features
- SwingLine design
- Recessed grips
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored with all the vital vitamins and minerals preserved.

Liebherr have redefined energy saving with the innovative **A+** top mount fridge-freezers. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced. This super energy-saving solution actively contributes to environmental conservation.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.



Top mount SmartFrost fridge-freezers	CT 2841 Comfort	CTsl 2441 Comfort	CT 2441 Comfort	CT 2051 Comfort
Total net capacity Fridge compartment	217 litre	183 litre	183 litre	152 litre
Freezer compartment	52 litre	52 litre	52 litre	42 litre
Energy efficiency class energy cons. in 365 days/24 h	A 257/0.703 kWh	A 244/0.667 kWh	A 244/0.667 kWh	A 225/0.614 kWh
Climate rating	SN-ST	SN-ST	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	157/55/62.9	142.5/55/62.9	142.5/55/62.9	123/55/62.9
Adjustable cooling circuits	1	1	1	1
Door/Side walls	white/white	silver/silver	white/white	white/white

Top mount fridge-freezers

Type/model numbers	**CTNes 4753** Premium	**CT 2841** Comfort	**CTsl 2441** Comfort	**CT 2441** Comfort	**CT 2051** Comfort
Model classification [1]	07	07	07	07	07
Energy efficiency class	A	A	A	A	A
Energy consum. in 365 days / 24 h [2]	355 / 0.970 kWh	257 / 0.703 kWh	244 / 0.667 kWh	244 / 0.667 kWh	225 / 0.614 kWh
Total net capacity	413 litre	269 litre	235 litre	235 litre	194 litre
Fridge compartment	329 litre	217 litre	183 litre	183 litre	152 litre
Freezer compartment	84 litre	52 litre	52 litre	52 litre	42 litre
Star coding [3]	****	****	****	****	****
Storage time during malfunctions	24 h	20 h	20 h	20 h	18 h
Freezing capacity in 24 hours	11 kg	6 kg	6 kg	6 kg	6 kg
Climate rating [4]	SN-T	SN-ST	SN-ST	SN-ST	SN-ST
Noise level re 1 pW	43 dB(A)	40 dB(A)	40 dB(A)	40 dB(A)	40 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.0 A	1.0 A	1.0 A	1.0 A	1.0 A
Fridge compartment					
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic
Forced air system	•				
Interior light	light bulb	light bulb	light bulb	light bulb	light bulb
Bottle shelf	Bottle shelf				
Door interior	GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine	Comfort GlassLine
VarioBoxes	•				
Freezer compartment					
NoFrost / SmartFrost	NoFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost
Defrosting	Automatic	Manual	Manual	Manual	Manual
SuperFrost	•				
CoolPlus		•	•	•	•
Ice cube tray	•	•	•	•	•
Dimensions					
Height x Width	186 x 75 cm	157 x 55 cm	142.5 x 55 cm	142.5 x 55 cm	123 x 55 cm
Depth incl. distance from wall	63 cm	62.9 cm	62.9 cm	62.9 cm	62.9 cm
Features					
Slimline door handles with integrated opening mechanism	•				
SmartSteel	•				
Electronic control	•				
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84–87)	02, 06, 07	02	02	02	02

1 Model classification **07:** Fridge-freezers (4-star freezer compartment)

2 Commission Delegated Regulation (EU) No 1060/2010

3 **** freezer compartment with -18 °C or colder

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C **N** +16 °C to +32 °C **T** +16 °C to +43 °C

K 3120

Upright fridges



The elegant and precise **MagicEye control** with its visual temperature display keeps the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. **The SuperCool** function lowers the refrigerator temperature down to as far as +2°C – ideal for rapidly cooling freshly stored food.

The high performance **forced air system** ensures rapid cooling of food and an even temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the refrigerator.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.

The **bottle shelf** is a practical and elegant solution for storing drinks. As many as five bottles can be chilled and stored neatly.

The distinctive **GlassLine equipment** in Comfort models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.



Liebherr have redefined energy saving with the innovative **A++** and **A+** fridges. Use of the latest electronics combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced. This super energy-saving solution actively contributes to environmental conservation.

Upright fridges

Electronic control system
- MagicEye control with LED temperature display
- Automatic SuperCool function
- Control lamps for mains and SuperCool

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves - 1 sectioned, with slide under half shelf option
- Comfort GlassLine storage racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Comfort ceiling lighting
- Fruit and vegetable bins mounted on telescopic rails
- Bottle shelf (with KPesf 4220, KPesf 3620)
- Egg tray

Features
- SwingLine design
- Slimline door handle with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

The high performance **forced air system** ensures rapid cooling of food and an even temperature throughout the entire internal space. Door contact switches turn off the fan when the door is opened, which saves valuable energy and prevents warmer external air from entering the refrigerator.

The transparent vegetable bins extend on smooth-running **telescopic rails** and can be conveniently removed at a door opening angle of 90°.

The **Comfort ceiling lighting** bathes the entire interior in bright light. This gives you an unparalleled view of the inside of the appliance.

Upright fridges	KPesf 4220 Comfort	K 4220 Comfort	KPesf 3620 Comfort	K 3620 Comfort
Total net capacity Fridge compartment	390 litre	390 litre	345 litre	345 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 117/0.318 kWh	A+ 155/0.424 kWh	A++ 112/0.306 kWh	A+ 150/0.409 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	185.2/60/63	185.2/60/63	165.5/60/63	165.5/60/63
Adjustable cooling circuits	1	1	1	1
Door/Side walls	Stainless steel with SmartSteel/silver	white/white	Stainless steel with SmartSteel/silver	white/white

Upright fridges

Electronic control system with 60 cm width models
- MagicEye with LCD visual temperature display
- Automatic SuperCool function
- Control lamps for mains and SuperCool

Mechanic control system with 55 cm width models

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan (with 60 cm width models)
- GlassLine storage shelves - 1 sectioned, with slide under half shelf option
- Comfort GlassLine door rack with bottle and can holders
- Smooth, easy-to-clean compartment liner with columns for rearrangement of the glass shelves
- Interior light
- Fruit and vegetable bins
- Bottle shelf
- Egg tray

4-star-freezer compartment with K 2734
- Ice cube tray

Features
- SwingLine design
- Slimline door handle with integrated opening mechanism (with 60 cm width models)
- Ergonomic slimline handle (with 55 cm width models)
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

The distinctive **GlassLine equipment** in Comfort models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.

The elegant and precise **MagicEye control** with its visual temperature display keeps the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The **SuperCool function** lowers the refrigerator temperature down to as far as +2°C – ideal for rapidly cooling freshly stored food.

You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensuring food is stored with all the vital vitamins and minerals preserved.





Upright fridges	K 3120 Comfort	K 2734 Comfort	K 2620 Comfort	K 2330 Comfort
	A+	A+	A+	A+
Total net capacity Fridge compartment	301 litre	234 litre	252 litre	217 litre
Freezer compartment		21 litre		
Energy efficiency class energy cons. in 365 days/24 h	A 145/0.396 kWh	A 238/0.652 kWh	A 139/0.379 kWh	A 133/0.362 kWh
Climate rating	SN-T	SN-ST	SN-T	SN-ST
Exterior dimensions in cm (h/w/d)	144.7/60/63.1	142/55/62.9	125/60/63.1	117.5/55/62.9
Adjustable cooling circuits	1	1	1	1
Door/Side walls	white/white	white/white	white/white	white/white

TP 1760

Table-height fridges

The elegant and precise **MagicEye control** with its digital temperature display keeps the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The **SuperCool function** lowers the refrigerator temperature down to as far as +2°C – ideal for rapidly cooling freshly stored food.

The distinctive **GlassLine equipment** in Premium models puts the finishing touches to the overall impression of high quality conveyed by the interior. The shelves are made of safety glass, as are the racks with stainless steel trims in the door interior. The sectioned, slide-under glass shelf lends itself to versatile use as it can be inserted at different heights, as required.

The **slimline door handle** is aesthetically pleasing and ergonomically designed for ease of opening.

Innovative table-height appliances from Liebherr in a new energy-saving dimension: In the new **A+++** energy efficiency class, the appliances are approximately 60 % more energy efficient than the top limit of class A.

Ergonomically designed, the extra deep transparent **vegetable compartments** are easy-to-clean and provide ample storage for fruit and vegetables.

Door interiors are fitted with premium-quality GlassLine storage shelves which can even accommodate 1.5 litre bottles with ease. In addition, the bottle and jar holders can be arranged as required to make the most effective use of side storage space.

Table-height fridges

Electronic control system with TP 1760
- MagicEye with LCD digital temperature display
- Automatic SuperCool function
- Visual warning signal in case of malfunction
- Control lamps for mains, SuperCool and child lock

Mechanic control system with Comfort models

Fridge compartment
- Automatic defrosting
- GlassLine storage shelves - 1 sectioned, with slide under half shelf option
- GlassLine storage racks with bottle and can holders (with TP 1760)
- Comfort GlassLine storage racks with bottle and can holders (with Comfort models)
- Interior light
- Fruit and vegetable bins

4-star-freezer compartment with TPesf 1714 and TP 1714
- Ice cube tray

Features
- HardLine (with TPesf models)
- SwingDesign (with TP models)
- Stainless steel slimline door handle (with TPesf models)
- Ergonomic slimline door handle (with TP models)
- Suitable for installation in a row of kitchen units through front ventilation (with Comfort models)
- Height-adjustable feet
- Reversible doors

The **CoolPlus function** reduces the temperature in the freezer compartment for several hours so that food can be frozen quickly and safely. This function also ensures that the temperature in the freezer compartment is kept constant in room temperatures as low as + 10°C.

Table-height appliances with manual controls come with a **removable worktop** so that, if necessary, they can be seamlessly integrated beneath existing worktops.

You can freeze fresh food and store frozen food for long periods in appliances with the **4-star freezer compartment**. Temperatures of -18°C and lower ensure food is stored with all the vital vitamins and minerals preserved.

Table-height fridges	**TP 1760** Premium	**TPesf 1710** Comfort	**TPesf 1714** Comfort	**TP 1710** Comfort	**TP 1714** Comfort
Total net capacity Fridge compartment	156 litre	147 litre	127 litre	147 litre	127 litre
Freezer compartment			18 litre		18 litre
Energy efficiency class energy cons. in 365 days/24 h	A+++ 64/0.173 kWh [1]	A++ 94/0.255 kWh	A++ 147/0.401 kWh	A++ 94/0.255 kWh	A++ 147/0.401 kWh
Climate rating	SN-T	SN-ST	SN-ST	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	85/60.1/66.3 [1]	85/60.1/60.8	85/60.1/60.8	85/60.1/62.8	85/60.1/62.8
Adjustable cooling circuits	1	1	1	1	1
Door/Side walls	white/white	Stainless steel/silver	Stainless steel/silver	white/white	white/white

1 The energy efficiencies indicated are achievable when using the wall spacer provided with this appliance. Without the wall spacer the specified appliance depth is reduced by 3.50 cm. Not fitting the wall spacer will not impair the functioning of the appliance. However, the energy consumption level increases slightly if it is not used.

Table-height fridges

Mechanic control system

Fridge compartment
- Automatic defrosting (except TX 1021)
- GlassLine storage shelves (except TX 1021)
- Comfort GlassLine door rack with bottle and can holders (except TX 1021)
- Interior light
- Fruit and vegetable bins
- Egg tray

4-star-freezer compartment with TP 1414 and T 1414

0-star-freezer compartment with TX 1021

Features
- SwingDesign
- Ergonomic slimline handle
- Suitable for installation in a row of kitchen units through front ventilation
- Detachable top
- Height-adjustable feet
- Reversible doors

Ergonomically designed, the extra deep transparent **vegetable compartments** are easy-to-clean and provide ample storage for fruit and vegetables.

The **slimline door handle** is aesthetically pleasing and ergonomically designed for ease of opening.

Models in the Comfort range now feature **Comfort GlassLine**: high quality glass shelving for the door interior. Comfort GlassLine comprises a robust satin-finished safety glass shelf, railings and an elegant plastic surround. The can/bottle racks have an adjustable holder for secure storage.

Table-height fridges	**TP 1410** Comfort	**T 1700**	**T 1404**	**T 1400**	**TX 1021** Comfort
	A+++	A+	A+	A+	A+
Total net capacity Fridge compartment	138 litre	151 litre	108 litre	138 litre	86 litre
Freezer compartment			14 litre		6 litre
Energy efficiency class energy cons. in 365 days/24 h	A+++ 93/0.253 kWh	A+ 125/0.341 kWh	A+ 185/0.506 kWh	A+ 124/0.337 kWh	A+ 119/0.325 kWh
Climate rating	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Exterior dimensions in cm (h/w/d)	85/55.4/62.3	85/55.4/62.3	85/50.1/62	85/50.1/62	63/55.4/62.4
Adjustable cooling circuits	1	1	1	1	1
Door/Side walls	white/white	white/white	white/white	white/white	white/white
Also available as	**TP 1414** with ✻✻✻-compartment				

Type/model numbers	KPesf 4220 Comfort	K 4220 Comfort	KPesf 3620 Comfort	K 3620 Comfort	K 3120 Comfort	K 2734 Comfort	K 2620 Comfort	K 2330 Comfort	TP 1760 Premium	TPesf 1710 Comfort	TPesf 1714 Comfort	TP 1410 Comfort	TP 1414 Comfort	T 1700	T 1404	T 1400	TX 1021 Comfort
Also available in white as										TP 1710	TP 1714						
Model classification [1]	01	01	01	01	01	07	01	01	01	01	07	01	07	01	07	01	03
Energy efficiency class	A++	A+	A++	A+	A+	A+	A+	A+	A+++ [2]	A++	A++	A++	A++	A+	A+	A+	A+
Energy consum. in 365 days/24 h [3]	117/0.318 kWh	155/0.424 kWh	112/0.306 kWh	150/0.409 kWh	145/0.396 kWh	238/0.652 kWh	139/0.379 kWh	133/0.362 kWh	64/0.173 kWh [2]	94/0.255 kWh	147/0.401 kWh	93/0.253 kWh	139/0.380 kWh	125/0.341 kWh	185/0.506 kWh	124/0.337 kWh	119/0.325 kWh
Total net capacity	390 litre	390 litre	345 litre	345 litre	301 litre	255 litre	252 litre	217 litre	156 litre	147 litre	145 litre	138 litre	122 litre	151 litre	122 litre	138 litre	92 litre
Fridge compartment	390 litre	390 litre	345 litre	345 litre	301 litre	234 litre	252 litre	217 litre	156 litre	147 litre	127 litre	138 litre	108 litre	151 litre	108 litre	138 litre	86 litre
Freezer compartment						21 litre					18 litre		14 litre		14 litre		6 litre
Star coding [4]						****					****		****		****		
Storage time during malfunctions						15 h					10 h		10 h		10 h		
Freezing capacity in 24 hours						2 kg					2 kg		2 kg		2 kg		
Climate rating [5]	SN-T	SN-T	SN-T	SN-T	SN-T	SN-ST	SN-T	SN-ST	SN-T	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Noise level re 1 pW	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	39 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.2 A	1.2 A	0.8 A	1.2 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A	0.8 A
Fridge compartment																	
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Manual
Interior light	Comfort	Comfort	Comfort	Comfort	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb	light bulb
Forced air system	•	•	•	•	•		•										
Fruit and vegetable bins	2	2	1	1	2	2	2	2	2	2	2	1	1	1	1	1	2
on telescopic rails	•	•	•	•													
Bottle shelf	Bottle shelf	subsequently	Bottle shelf	subsequently	Bottle shelf	Bottle shelf	Bottle shelf	Bottle shelf									
Automatic SuperCool function	•	•	•	•	•		•		•								
Door interior	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Comf. GlassLine	Plastic	Plastic	Plastic	Comf. GlassLine
Freezer compartment																	
Defrosting						Manual					Manual		Manual		Manual		
CoolPlus						•					•		•		•		
Dimensions																	
Height x Width	185.2 x 60 cm	185.2 x 60 cm	165.5 x 60 cm	165.5 x 60 cm	144.7 x 60 cm	142 x 55 cm	125 x 60 cm	117.5 x 55 cm	85 x 60.1 cm	85 x 60.1 cm	85 x 60.1 cm	85 x 55.4 cm	85 x 55.4 cm	85 x 55.4 cm	85 x 50.1 cm	85 x 50.1 cm	63 x 55.4 cm
Depth incl. distance from wall	63 cm	63 cm	63 cm	63 cm	63.1 cm	62.9 cm	63.1 cm	62.9 cm	66.3 cm [2]	60.8 cm	60.8 cm	62.3 cm	62.3 cm	62.3 cm	62 cm	62 cm	62.4 cm
Type of appliance																	
box/table height/upright appliance	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / • / –	– / • / –	– / • / –	– / • / –	– / • / –	– / • / –	– / • / –	– / • / –	• / – / –
under worktop									•	•	•	•	•	•	•	•	
Features																	
Slimline door handles	•	•	•	•	•	•	•	•	•	•	•	•	•				•
with integr. opening mechanism	•	•	•	•	•		•										
Electronic control	•	•	•	•	•		•		•								
SmartSteel	•		•														
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingDesign	HardLine	HardLine	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign
Accessories (see page 84–87)	02	02	02	02	02	02	02	02		06, 07	06, 07						

1 Model classification **01:** Fridges
03: Fridge-freezers (0-star freezer compartment)
07: Fridge-freezers (4-star freezer compartment)

2 The energy efficiencies indicated are achievable when using the wall spacer provided with this appliance. Without the wall spacer the specified appliance depth is reduced by 3.50 cm. Not fitting the wall spacer will not impair the functioning of the appliance. However, the energy consumption level increases slightly if it is not used.

3 Commission Delegated Regulation (EU) No 1060/2010

4 **** freezer compartment with -18 °C or colder

5 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C **N** +16 °C to +32 °C **T** +16 °C to +43 °C

SBSes 8283

Side-by-Side fridge-freezers
Large capacity food storage centres

The **BioFresh-Plus technology** provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted from -2 °C (fish), to + 6 °C (exotic fruits).

The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

The **IceCenter** is a highlight for any kitchen, supplying ice cubes, crushed ice and chilled water, the IceCenter provides a myriad of options for serving cool drinks. The ice cubes and water are dispensed using the contact-sensitive paddles, which are lit by LED light either when in operation or optionally on a permanent basis.

The PremiumPlus interior features **LED light columns** integrated on either side of the compartment liner, ensuring that the interior is evenly bathed in light to create a unique and dramatic effect within the appliance. At the same time the light columns provide freedom for rearranging the glass shelves to suit your storage needs.

The **SoftSystem** ensures that the door closes gently even when fully loaded. The door automatically closes from an opening angle of approximately 45 °.

Nearly all the stainless steel doors come with a **SmartSteel** surface. SmartSteel significantly reduces the visibility of finger marks and thanks to the high-quality finish of the stainless steel, is very easy-to-clean and far more scratch-resistant.

Side-by-Side fridge-freezer

Electronic control system
- LCD display in door with LCD Touch-electronic display
- Automatic SuperCool function
- Automatic SuperFrost function, quantity-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- HomeDialog system
- Control lamps for mains, alarm, SuperCool, SuperFrost, FrostControl, child lock and holiday mode

Fridge compartment
- Automatic defrosting
- Forced air cooling with fan
- GlassLine storage shelves – 1 sectioned, with slide under half shelf option
- GlassLine door racks with bottle and can holders
- Smooth, easy-to-clean compartment liner with elegant holding columns for rearrangement of the glass shelves
- LED light column
- Integrated bottle shelf
- Rearrangeable, removable Vario boxes
- Egg tray

BioFresh compartment
- Automatic defrosting, forced air cooling
- BioFresh-Plus, adjustable temperature range
- LED interior light
- Pull-out BioFresh safes mounted on telescopic rails with flexible humidity control for use as DrySafes or HydroSafes for longer freshness of fruit, vegetables, meat and dairy products

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- LED lighting for ideal illumination of the extended drawers
- Herb and berry tray
- VarioSpace: removable drawers and intervening glass shelves
- IceCenter for ice cubes, crushed ice and chilled water with fixed water connection (3/4“)

Features
- SwingLine design
- Stainless steel slimline door handles with integrated opening mechanism
- SoftSystem: cushioned door closure
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

The ideal storage temperature for fish and seafood is just below freezing. The **BioFresh-Plus drawers** with independent electronics to vary the settings for sea food in the upper drawer, the temperature can be lowered to **-2° C**.
Together with the DrySafe setting, fish stays fresher for longer. With BioFresh-Plus, even temperature



sensitive tropical fruits can be kept fresh for longer. They are perfectly stored at **+6° C** and high humidity.
The BioFresh-Plus drawers are illuminated with **LED technology**, mounted on high-quality **telescopic rails** and can be effortlessly extended to provide a perfect view and ideal storage conditions.

The **IceCenter** is a highlight for any kitchen, supplying ice cubes, crushed ice and chilled water, the IceCenter provides a myriad of options for serving cool drinks.

The ice cubes and water are dispensed using the contact-sensitive paddles, which are lit by **LED light** either when in operation or optionally on a permanent basis.

Side-by-Side fridge-freezer

SBSes 8283 PremiumPlus

Total net capacity	Fridge compartment	355 litre
	Including BioFresh compartment	110 litre
	Freezer compartment	237 litre
Energy efficiency class energy cons. in 365 days/24 h		A/A 489/1.338 kWh
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		185.2/121/63
Adjustable cooling circuits		2
Door/Side walls		Stainless steel with SmartSteel/stainless steel

The **SoftSystem** feature provides added safety and convenience. Integrated in the door, the SoftSystem cushions movement when the door is closed. This SoftSystem ensures that the door closes gently even when fully loaded. The door closes automatically from an opening angle of approximately 45 °.

The removable **VarioBoxes**, designed for convenient storage, can be rearranged in the door interior to suit your requirements. VarioBoxes hang on a steel rod and are detachable.

Dual purpose storage with the **integrated glass shelf** and bottle shelf. One conveniently stores beneath the other when not in use. When using the bottle shelf, move the door rack upwards allowing taller bottles to be stored.

Five climate zones in one appliance: SBSes 7165

The SBSes 7165 Side-by-Side fridge-freezer with **five different climate zones boasts** an array of innovative solutions. The multi-temperature wine cabinet has two zones for storing wine at the exact temperature required, ranging from +5 °C and +20 °C.

The **BioFresh-Plus technology** provides greater flexibility and control for ideal food storage conditions. With its independent electronic control system the temperature in the top compartment can be adjusted from -2 °C (fish), to + 6 °C (exotic fruits).

The **NoFrost** system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

The **IceMaker** provides you with a constant supply of ice cubes for every occasion. Whether you fancy a cold drink or you're having a big party, the IceMaker automatically keeps your supplies topped up.

The **SoftSystem** ensures that the door closes gently even when fully loaded. The door automatically closes from an opening angle of approximately 45 °.

The **BioFresh** drawers extend on smooth running **telescopic rails**. The drawers are integrated almost flush into the fridge compartment and can be pulled out and removed with a door opening angle of 90°.

PLUS X AWARD®
LIEBHERR
BEST PRODUCT
SBS refrigerator-freezer of the year 2011

PLUS X AWARD®
LIEBHERR
High Quality
Design
Ease of Use

reddot design award winner 2011

interior innovation award 2011
Winner

Side-by-Side fridge-freezer

SBSes 7165 PremiumPlus

Total net capacity	Fridge compartment	483 litre
	Including BioFresh compartment	111 litre
	Including Wine storage compartment	128 litre (Max. 41 Bordeaux bottles 0.75 Ltr.)
	Freezer compartment	119 litre
Energy efficiency class energy cons. in 365 days/24 h		⟨A/A⟩ 444/1.214 kWh
Climate rating		SN-ST
Exterior dimensions in cm (h/w/d)		185.2/121/63
Adjustable cooling circuits		4
Door/Side walls		Stainless steel with SmartSteel/stainless steel

The innovative food storage centre CBNes 6256

NoFrost
The CBNes 6256 NoFrost food centre from Liebherr is a highly energy efficient A+ rated appliance. The two pull-out freezer drawers are mounted on high-quality telescopic rails and can be effortlessly extended to provide a perfect view of ideal storage conditions.

Precision controls
The elegant MagicEye control system with the innovative, user-friendly Touch-electronic feature ensures that the temperature in the refrigerator compartment and freezer compartment is kept to exactly the degree chosen. All the functions can be simply and conveniently operated at the touch of a finger.

Automatic IceMaker
The automatic IceMaker from Liebherr provides perfect ice cubes for every occasion. Whether you fancy a quick drink or you're having a big party, the extra-large drawer holds an ample supply of ice cubes. An integrated water filter ensures perfect water quality at all times. The electronic display indicates when the water filter needs replacing.

LED lighting concept
The PremiumPlus interior features LED light columns integrated on either side of the compartment liner, ensuring that the interior is evenly bathed in light to create a unique and dramatic effect within the appliance. At the same time the light columns provide freedom for rearranging the glass shelves to suit your storage needs.

GlassLine equipment
The elegant, high quality GlassLine interior is adaptable to suit individual requirements. The extra-strong, satin-finish shelves and door racks with solid aluminium trims are height adjustable. The door interior accommodates tall bottles and wide containers.

Both **BioFresh-Safes** are mounted on **telescopic rails** which extend effortlessly providing a full view of produce, which is easily accessible. The lateral LED light spots ensure perfect illumination of the drawers. The versatile glass/bottle shelf can be used depending on your personal preference. The glass on top gives you shelf space, moving the glass underneath gives you bottle space.

product design award 2011

PLUS X AWARD LIEBHERR BEST PRODUCT SBS refrigerator-freezer of the year 2010

PLUS X AWARD LIEBHERR High Quality Design Ease of Use

reddot design award best of the best 2010

91 cm-wide combined fridge-freezer with BioFresh and NoFrost

CBNes 6256 PremiumPlus

Total net capacity	Fridge compartment	364 litre
	Including BioFresh compartment	69 litre
	Freezer compartment	116 litre
Energy efficiency class energy cons. in 365 days/24 h		A 434/1.189 kWh
Climate rating		SN-T
Exterior dimensions in cm (h/w/d)		203.9/91/61.5
Adjustable cooling circuits		2 - DuoCooling
Door/Side walls		Stainless steel/stainless steel
This appliance must be bracketed to the wall/floor		

Large capacity food storage centers

Type/model numbers	CBNes 6256 PremiumPlus	SBSes 8283 PremiumPlus	SBSes 7165 PremiumPlus	SBSes 7353 Premium	SBSes 7263 Premium	SBSes 7253 Premium	SBSes 7252 Premium	SBSesf 7212 Comfort	SBSes 6352 Premium
Model classification [1]	10								
Energy efficiency class	A	A⁺⁺/A	A⁺⁺/A	A⁺⁺/A⁺	A⁺⁺/A⁺	A⁺⁺/A⁺	A⁺⁺/A⁺	A⁺⁺/A	A⁺⁺/A
Energy consum. in 365 days / 24 h [2]	434 / 1.189 kWh	489 / 1.338 kWh	444 / 1.214 kWh	478 / 1.308 kWh	460 / 1.258 kWh	381 / 1.042 kWh	364 / 0.995 kWh	485 / 1.327 kWh	452 / 1.238 kWh
Total net capacity	480 litre	591 litre	602 litre	667 litre	620 litre	625 litre	652 litre	651 litre	570 litre
Fridge compartment	364 litre	354 litre	483 litre	548 litre	364 litre	364 litre	391 litre	390 litre	346 litre
Including BioFresh compartment	69 litre	110 litre	111 litre	157 litre	117 litre	117 litre			
Including Wine storage compartment			128 litre (Max. 41 Bordeaux bottles 0.75 Ltr.)						
Freezer compartment	116 litre	237 litre	119 litre	119 litre	256 litre	261 litre	261 litre	261 litre	224 litre
Star coding [3]	✱✱✱	✱✱✱	✱✱✱	✱✱✱	✱✱✱	✱✱✱	✱✱✱	✱✱✱	✱✱✱
Storage time during malfunctions	21 h	43 h	31 h	31 h	43 h	43 h	43 h	24 h	43 h
Freezing capacity in 24 hours	10 kg	18 kg	16 kg	16 kg	18 kg	20 kg	20 kg	20 kg	18 kg
Climate rating [4]	SN-T	SN-T	SN-ST	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level re 1 pW	44 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.5 A	2.5 A	2.6 A	2.6 A	2.5 A	2.5 A	2.5 A	2.1 A	1.7 A
Fridge compartment									
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Interior light	LED light column and LED ceiling lighting	LED-light column	LED-light column	LED	LED	LED	LED	Comfort	LED
BioFresh-Safes	2	3	3	2	3	3			
BioFresh-Plus, adjustable		•	•						
BioFresh light	LED	LED	LED	LED					
Bottle shelf	for variable use	for variable use	for variable use	Bottle shelf, champagne shelf	for variable use	for variable use	Bottle shelf	subsequently	Bottle shelf
Door interior	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	GlassLine	Comfort GlassLine	GlassLine
VarioBoxes		•	•	•	•	•	•		•
Freezer compartment									
NoFrost / SmartFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Interior light	LED	LED			LED	LED	LED		LED
Cold storage accumulators		2	2	2	2	2	2		2
IceMaker / IceCenter [5]	fix. water connection 3/4" / –	– / fix. water connection 3/4"	fix. water connection 3/4" / –	fix. water connection 3/4" / –	fix. water connection 3/4" / –				
Ice cube capacity in 24 hours	1.3 kg	0.8 kg	0.8 kg	0.8 kg	0.8 kg				
Ice cube stock	2.7 kg	1.5 kg	1.5 kg	1.5 kg	1.5 kg				
Dimensions									
Height x Width	203.9 x 91 cm	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm	185.2 x 121 cm	165.5 x 121 cm
Depth incl. distance from wall	61.5 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm	63 cm
Features									
Interface	HomeDialog	HomeDialog	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready		HomeDialog-ready
SoftSystem / SmartSteel	– / –	• / •	• / •	– / •	– / •	– / •	– / •	– / •	– / •
Design	HardLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84–87)	03, 05, 06, 07, 10, 14	02, 03, 05, 06, 07, 08, 10, 14	02, 03, 05, 06, 07, 14	02, 03, 05, 06, 07, 14	02, 03, 04, 05, 06, 07, 14	02, 03, 06, 07, 14	02, 03, 06, 07, 14	02, 03	02, 03, 06, 07, 14

1 Model classification **10:** BioFresh Fridge-freezer

2 Commission Delegated Regulation (EU) No 1060/2010

3 ✱✱✱ freezer compartment with -18 °C or colder

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C **N** +16 °C to +32 °C **T** +16 °C to +43 °C

5 **IceMaker** – automatic ice-cube maker (can be switched off) with fixed water connection 3/4" and solenoid valve (needs to be plumped in)



Upright freezers

NoFrost
The NoFrost system from Liebherr provides rapid, fan-assisted, frost-free freezing for the safe, long-term storage of food. The NoFrost technology creates a much larger storage capacity and keeps the freezer constantly frost-free to make defrosting a thing of the past.

Precision controls
The elegant MagicEye control system with the innovative, user-friendly Touch-electronic feature ensures that the temperature in the freezer compartment is kept to exactly the degree chosen. All the functions can be simply and conveniently operated at the touch of a finger.

LED lighting
An additional feature of the GNP and 70 cm GN range is the innovative LED lighting in the front facia, illuminating the extended drawers for additional convenience.

The drawers
Attractively designed, the robust removable transparent drawers with an easy-to-clean interior provide ample storage and the best possible storage solution for frozen food. Freezer drawers and glass shelves can be removed. VarioSpace – the practical storage solution for larger produce.

Vario Energy-Saving Panel
If you are not using the entire freezer space, unused drawers can be switched off with the optional Vario Energy-Saving Panel. Energy consumption can then be reduced again by up to 50%.

HomeDialog
The HomeDialog system allows you to control a NoFrost premium freezer from the LCD display pane in your fridge freezer. Interconnection is possible with the Power-Line Module, available as a chargable optional extra (HomeDialog-ready). The only requirement is that both appliances are connected by the same electrical ring main.

NoFrost freezer	**GNP 3056** Premium
Total net capacity Freezer compartment	261 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 248/0.677 kWh
Climate rating	SN-T
Exterior dimensions in cm (h/w/d)	184.1/60/63
Adjustable cooling circuits	1
Door/Side walls	white/white

NoFrost freezers

Electronic control system
- MagicEye control with LED temperature display (with 70 cm with models)
- MagicEye control with visual temperature display (with 60 cm width models)
- Automatic SuperFrost function, time-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm
- Control lamps for mains, alarm and SuperFrost
- Control lamps for child lock (with 60 cm width models)

Freezer compartment
- NoFrost: Automatic defrosting
- Forced air cooling
- FrostSafe system with completely enclosed, transparent drawers
- Interior light (with 70 cm width models)
- VarioSpace: removable drawers and intervening glass shelves
- Herb and berry tray (with 60 cm width models)

Features
- SwingLine design
- Slimline door handle with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Vario energy-saving plate available as an accessory
- Reversible doors

The elegant and precise **MagicEye control** with its visual temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic **SuperFrost function** quickly reduces the temperature to freeze your food while preserving the vitamins.

A++
Using the latest technology combined with a highly efficient refrigerating system enables the energy consumption to be significantly reduced.

SuperFrost function
With the automatic SuperFrost function, temperatures down to as low as -32 °C are reached in no time. Food can be frozen quickly to preserve the vitamins, taste and appearance. After the freezing operation is over, the appliance switches back automatically to the normal mode.

NoFrost freezers	GN 4113 Comfort	GN 3613 Comfort	GN 3023 Comfort	GN 2723 Comfort	GN 2323 Comfort	GN 1923 Comfort
	NoFrost A++	NoFrost A++	NoFrost A+	NoFrost A+	NoFrost A+	NoFrost A+
Total net capacity Freezer compartment	351 litre	304 litre	261 litre	224 litre	188 litre	151 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 297/0.813 kWh	A++ 271/0.742 kWh	A+ 330/0.903 kWh	A+ 303/0.829 kWh	A+ 277/0.757 kWh	A+ 249/0.682 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	194.7/69.7/75	175.1/69.7/75	184.1/60/63	164.4/60/63	144.7/60/63	125/60/63
Adjustable cooling circuits	1	1	1	1	1	1
Door/Side walls	white/white	white/white	white/white	white/white	white/white	white/white
						without illustration. Picture page 68

SmartFrost freezers

Electronic control system
- MagicEye control with LCD and visual temperature display
- Automatic SuperFrost function, time-controlled
- Visual and audible warning signal in case of malfunction
- Audible door alarm (with G 3513)
- Control lamp for mains, alarm, SuperFrost and child lock

Freezer compartment
- SmartFrost: Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves
- Interior light (with G 3513)
- Herb and berry tray (with G 3513)

Features
- SwingLine design
- Slimline door handle with integrated opening mechanism
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front, transport castors and transport handles at the back
- Reversible doors

The elegant and precise **MagicEye control** with its visual temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic **SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.

With the **SmartFrost technology**, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are very smooth and easy-to-clean. Freezer drawers and glass shelves made of safety glass can be removed easily.

FrostSafe
The removable, extra-deep drawers with transparent front are closed all the way round. They provide a perfect view of the contents and the best storage conditions for the frozen food.

SmartFrost freezers	G 3513 Comfort	G 2733 Comfort	G 2433 Comfort
	SmartFrost A++	SmartFrost A+	SmartFrost A+
Total net capacity Freezer compartment	356 litre	226 litre	192 litre
Energy efficiency class energy cons. in 365 days/24 h	A++ 267/0.731 kWh	A 276/0.756 kWh	A 256/0.700 kWh
Climate rating	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	175.1/69.7/75	164.4/60/63.2	144.7/60/63.2
Adjustable cooling circuits	1	1	1
Door/Side walls	white/white	white/white	white/white

Table-height freezers with SmartFrost

SmartFrost technology
With the SmartFrost technology, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are very smooth and easy-to-clean. Freezer drawers and glass shelves made of safety glass can be removed easily. The whole interior can be used as **VarioSpace** for large produce.

A+++
Innovative freezers from Liebherr in a new energy-saving dimension: In the new A+++ energy efficiency class, the appliances are approximately 60 % more energy efficient than the top limit of class A.

Transparent drawers
Attractively designed, the robust removable transparent drawers with an easy-to-clean interior provide ample storage and the best possible storage solution for frozen food.

Precision controls
The elegant and precise **MagicEye** control with its digital temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The **automatic SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.

Slimline door handle
The **slimline door handle** is aesthetically pleasing and ergonomically designed for ease of opening.

The top of the table-height freezer is extremely robust, with a scratch and heat resistant surface.

Table-height freezers with SmartFrost

Electronic control system
- MagicEye with LCD digital temperature display (with Premium-models)
- MagicEye control with LCD and visual temperature display (with GX 823 and G 1213)
- Automatic SuperFrost function, time-controlled
- Visual temperature alarm in case of malfunction
- Audible temperature alarm in case of malfunction (with Premium-models)
- Control lamps for mains, alarm and SuperFrost

Freezer compartment
- SmartFrost: Easy defrosting with smooth and easy-to-clean interior
- FrostSafe system with completely enclosed, transparent drawers
- VarioSpace: removable drawers and intervening glass shelves

Features
- SwingDesign (except GPesf 1476)
- HardLine (with GPesf 1476)
- Suitable for installation in a row of kitchen units through front ventilation
- Height-adjustable feet at the front
- Reversible doors

The elegant and precise **MagicEye control** with its digital temperature display lets you keep the temperature at exactly the level you select. The clear arrangement of the function buttons makes for easy and convenient use. The automatic **SuperFrost** function quickly reduces the temperature to freeze your food while preserving the vitamins.

With the **SmartFrost technology**, ice build-up is greatly reduced. This makes defrosting rarely necessary. The interior walls of the freezer compartment are very smooth and easy-to-clean. Freezer drawers and glass shelves made of safety glass can be removed easily. The whole interior can be used as **VarioSpace** for large produce.

Innovative freezers from Liebherr in a new energy-saving dimension: In the new **A+++** energy efficiency class, the appliances are approximately 60% more energy efficient than the top limit of class A.

Table-height freezers with SmartFrost	**GP 1486** Premium	**GPesf 1476** Premium	**GP 1376** Premium	**G 1213**	**GX 823** Comfort
Total net capacity Freezer compartment	104 litre	104 litre	104 litre	98 litre	69 litre
Energy efficiency class energy cons. in 365 days/24 h	A+++ 101/0.276 kWh [1]	A++ 152/0.414 kWh	A++ 152/0.414 kWh	A+ 199/0.543 kWh	A+ 181/0.494 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	85.1/60.2/66.3 [1]	85.1/60.2/61	85.1/55.3/62.4	85.1/55.3/62.4	63.1/55.3/62.4
Adjustable cooling circuits	1	1	1	1	1
Door/Side walls	white/white	Stainless steel/silver	white/white	white/white	white/white
Also available as		**GP 1476** in white/white			

1 The energy efficiencies indicated are achievable when using the wall spacer provided with this appliance. Without the wall spacer the specified appliance depth is reduced by 3.50 cm. Not fitting the wall spacer will not impair the functioning of the appliance. However, the energy consumption level increases slightly if it is not used.

NoFrost freezers

Type/model numbers	GNP 3056 Premium	GN 4113 Comfort	GN 3613 Comfort	GN 3023 Comfort	GN 2723 Comfort	GN 2323 Comfort	GN 1923 Comfort
Also available in white as							
Model classification [1]	08	08	08	08	08	08	08
Energy efficiency class	A++	A++	A++	A+	A+	A+	A+
Energy consum. in 365 days / 24 h [3]	248 / 0.677 kWh	297 / 0.813 kWh	271 / 0.742 kWh	330 / 0.903 kWh	303 / 0.829 kWh	277 / 0.757 kWh	249 / 0.682 kWh
Total net capacity	261 litre	351 litre	304 litre	261 litre	224 litre	188 litre	151 litre
Star coding [4]	****	****	****	****	****	****	****
Storage time during malfunctions	43 h	34 h	34 h	24 h	24 h	24 h	24 h
Freezing capacity in 24 hours	20 kg	26 kg	24 kg	20 kg	18 kg	16 kg	15 kg
Climate rating [5]	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level re 1 pW	41 dB(A)	39 dB(A)	39 dB(A)	41 dB(A)	41 dB(A)	40 dB(A)	40 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-230 V	220-240 V	220-240 V	220-240 V
Connection rating	1.3 A	1.3 A	1.3 A	1.3 A	1.3 A	1.3 A	1.3 A
Freezer compartment							
NoFrost / SmartFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
SuperFrost	•	•	•	•	•	•	•
Interior light	LED	light bulb	light bulb				
VarioSpace	•	•	•	•	•	•	•
Cold storage accumulators	2						
Number of drawers	7 + 1	8	7	7 + 1	6 + 1	5 + 1	4 + 1
Herb and berry tray	•			•	•	•	•
Dimensions							
Height x Width	184.1 x 60 cm	194.7 x 69.7 cm	175.1 x 69.7 cm	184.1 x 60 cm	164.4 x 60 cm	144.7 x 60 cm	125 x 60 cm
Depth incl. distance from wall	63 cm	75 cm	75 cm	63 cm	63 cm	63 cm	63 cm
Type of appliance							
box / table height / upright appliance	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •	– / – / •
under worktop							
Features							
Interface	HomeDialog						
SmartGrid-ready	•						
Slimline door handles	•	•	•	•	•	•	•
with integr. opening mechanism	•	•	•	•	•	•	•
Insulation plate available	•	•	•	•	•	•	•
Design	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine
Accessories (see page 84 – 87)	03, 04, 08, 14	03, 08	03, 08	03, 04, 08	03, 04, 08	03, 04, 08	03, 04, 08

SmartFrost freezers

Type/model numbers	G 3513 Comfort	G 2733 Comfort	G 2433 Comfort	GP 1486 Premium	GPesf 1476 Premium	GP 1376 Premium	G 1213	GX 823 Comfort
Also available in white as					GP 1476			
Model classification [1]	08	08	08	08	08	08	08	08
Energy efficiency class	A++	A+	A+	A+++ [2]	A++	A++	A+	A+
Energy consum. in 365 days / 24 h [3]	267 / 0.731 kWh	276 / 0.756 kWh	256 / 0.700 kWh	101 / 0.276 kWh [2]	152 / 0.414 kWh	152 / 0.414 kWh	199 / 0.543 kWh	181 / 0.494 kWh
Total net capacity	356 litre	226 litre	192 litre	104 litre	104 litre	104 litre	98 litre	69 litre
Star coding [4]	****	****	****	****	****	****	****	****
Storage time during malfunctions	34 h	28 h	26 h	26 h	26 h	26 h	26 h	18 h
Freezing capacity in 24 hours	25 kg	22 kg	22 kg	11 kg	11 kg	11 kg	11 kg	8 kg
Climate rating [5]	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level re 1 pW	38 dB(A)	39 dB(A)	39 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	39 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	1.3 A	1.0 A	1.0 A	0.9 A	0.9 A	0.9 A	0.9 A	0.9 A
Freezer compartment								
NoFrost / SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost	SmartFrost
Defrosting	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
SuperFrost	•	•	•	•	•	•	•	•
Interior light	light bulb							
VarioSpace	•	•	•	•	•	•	•	•
Cold storage accumulators				2	2	2		
Number of drawers	7 + 1	7	6	4	4	4	3	2
Herb and berry tray	•							
Dimensions								
Height x Width	175.1 x 69.7 cm	164.4 x 60 cm	144.7 x 60 cm	85.1 x 60.2 cm	85.1 x 60.2 cm	85.1 x 55.3 cm	85.1 x 55.3 cm	63.1 x 55.3 cm
Depth incl. distance from wall	75 cm	63.2 cm	63.2 cm	66.3 cm [2]	61 cm	62.4 cm	62.4 cm	62.4 cm
Type of appliance								
box / table height / upright appliance	– / – / •	– / – / •	– / – / •	– / • / –	– / • / –	– / • / –	– / • / –	• / – / –
under worktop				•	•	•	•	
Features								
Interface								
SmartGrid-ready								
Slimline door handles	•	•	•	•	•	•		•
with integr. opening mechanism	•	•	•					
Insulation plate available								
Design	SwingLine	SwingLine	SwingLine	SwingDesign	HardLine	SwingDesign	SwingDesign	SwingDesign
Accessories (see page 84 – 87)	03	03, 04	03, 04	03	03, 06, 07	03		

1 Model classification **08:** Freezers

2 The energy efficiencies indicated are achievable when using the wall spacer provided with this appliance. Without the wall spacer the specified appliance depth is reduced by 3.50 cm. Not fitting the wall spacer will not impair the functioning of the appliance. However, the energy consumption level increases slightly if it is not used.

3 Commission Delegated Regulation (EU) No 1060/2010

4 **** freezer compartment with -18 °C or colder

5 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C **N** +16 °C to +32 °C **T** +16 °C to +43 °C

Chest freezers



A+++
Innovative freezers from Liebherr in a new energy-saving dimension: In the new A+++ energy efficiency class, the appliances are approximately 60 % more energy efficient than the top limit of class A.



StopFrost
This innovation has two distinct advantages: frosting over of the freezer and frozen food is reduced, reducing the number of times you need to defrost the freezer. The StopFrost system prevents a vacuum from building up after the lid has been opened and closed.

Jointless foam insulation
The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting quieter operation. No condensation forms on the outside and the smooth outside walls are easy-to-clean.

Freezer tray
The practical freezer tray is ideal for freezing fruit, berries and herbs individually, preventing them from sticking together. The freezer tray accommodates the cold storage accumulator in Premium models. When not in use, it can be stored as a space saving partition wall.

Interior light
The bright interior light allows a clear view of all your stored products even in low ambient lighting conditions.

Premium electronic control system
The control and monitoring functions for the Premium range of chest freezers are integrated in the ergonomic handle. The digital display in the **MagicEye** provides exact information on the temperature in the freezer compartment (GTP models).

Chest freezer	**GTP 2356** Premium
Total net capacity Freezer compartment	200 litre
Energy efficiency class energy cons. in 365 days/24 h	A+++ 117/0.318 kWh
Climate rating	SN-T
Exterior dimensions in cm (h/w/d)	91.9/113.2/76
Adjustable cooling circuits	1
Number of baskets	3
Maximum number of baskets	10
Finish	white

Chest freezers

Mechanic control system
- Automatic SuperFrost function, time-controlled
- Control lamp for mains and SuperFrost

Freezer compartment
- Low-vibration, quiet and easy to clean due to condenser embedded in foam
- Interior light (except GT 2121)
- StopFrost function
- Water drain
- Divider consisting of a removable freezer tray – can also be used as a water collection tray

Features
- SwingDesign
- Ergonomic chest handle
- Lock subsequently

The practical freezer tray is ideal for freezing fruit, berries and herbs individually, preventing them from sticking together. The **freezer tray** accommodates the cold storage accumulator in Premium models. When not in use, it can be stored as a space saving partition wall.

StopFrost
Frosting over of the freezer and frozen food is reduced, reducing the number of times you need to defrost the freezer. StopFrost prevents a vacuum from building up, ensuring the lid opens easily.

Jointless foam insulation
The heat-exchange condenser is embedded in foam along the exterior wall, minimising vibration and promoting quieter operation. No condensation forms on the outside and the smooth outside walls are easy-to-clean.

Chest freezers	GT 6121 Comfort	GT 3621 Comfort	GT 3021 Comfort	GT 2621 Comfort	GT 2121 Comfort
Total net capacity Freezer compartment	572 litre	333 litre	284 litre	237 litre	193 litre
Energy efficiency class energy cons. in 365 days/24 h	A+ 432/1.183 kWh	A+ 304/0.832 kWh	A+ 278/0.760 kWh	A+ 253/0.691 kWh	A+ 229/0.627 kWh
Climate rating	SN-T	SN-T	SN-T	SN-T	SN-T
Exterior dimensions in cm (h/w/d)	91.9/164.8/80.8	91.9/113.3/76	91.9/99.9/76	91.9/87.3/76	91.9/75.4/76
Adjustable cooling circuits	1	1	1	1	1
Number of baskets	3	2	2	2	1
Maximum number of baskets	16	10	7	7	4
Finish	white	white	white	white	white

Type/model numbers	**GTP 2356** Premium	**GT 6121** Comfort	**GT 3621** Comfort	**GT 3021** Comfort	**GT 2621** Comfort	**GT 2121** Comfort
Model classification [1]	09	09	09	09	09	09
Energy efficiency class	A+++	A+	A+	A+	A+	A+
Energy consum. in 365 days / 24 h [2]	117 / 0.318 kWh	432 / 1.183 kWh	304 / 0.832 kWh	278 / 0.760 kWh	253 / 0.691 kWh	229 / 0.627 kWh
Total net capacity	200 litre	572 litre	333 litre	284 litre	237 litre	193 litre
Star coding [3]	****	****	****	****	****	****
Storage time during malfunctions	110 h	76 h	70 h	65 h	57 h	36 h
Freezing capacity in 24 hours	23 kg	33 kg	28 kg	27 kg	24 kg	15 kg
Climate rating [4]	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Noise level re 1 pW	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)	38 dB(A)
Voltage	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V	220-240 V
Connection rating	0.5 A	1.5 A	1.2 A	1.0 A	0.8 A	0.8 A
Freezer compartment						
StopFrost function	•	•	•	•	•	•
Defrosting	Manual	Manual	Manual	Manual	Manual	Manual
SuperFrost	•	•	•	•	•	•
Interior light	light bulb	light bulb	light bulb	light bulb	light bulb	
Number of baskets	3	3	2	2	2	1
more available for subsequent fitting	7	13	8	5	5	3
Maximum number of baskets	10	16	10	7	7	4
Defrost water drain	•	•	•	•	•	•
Number of Freezer-Trays	1	1	1	1	1	1
Dimensions						
Height x Width	91.9 x 113.2 cm	91.9 x 164.8 cm	91.9 x 113.3 cm	91.9 x 99.9 cm	91.9 x 87.3 cm	91.9 x 75.4 cm
Depth incl. distance from wall	76 cm	80.8 cm	76 cm	76 cm	76 cm	76 cm
Features						
Electronic control	•					
Lock available / subsequently	• / –	– / •	– / •	– / •	– / •	– / •
Ergonomic chest handle	•	•	•	•	•	•
Design	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign	SwingDesign
Accessories (see page 84 – 87)	03, 04, 18	03, 04, 12, 18	03, 04, 12, 18	03, 04, 12, 18	03, 04, 12, 18	03, 04, 12, 18

1 Model classification **09:** Chest freezers

2 Commission Delegated Regulation (EU) No 1060/2010

3 **** freezer compartment with -18 °C or colder

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C
N +16 °C to +32 °C **T** +16 °C to +43 °C

Wine and Lifestyle

Electronic control system
The precision electronic control system is clearly arranged in the insulation plate. The digital temperature display can be read from the outside of appliances with glass doors. The humidity can be increased by activating the ventilation. The door and temperature alarm alerts the user to irregular temperatures. The child lock prevents any inadvertent changes to the control system.

Guaranteed UV protection
The green or brown glass of the bottle does not shield the wine sufficiently from damaging light. Therefore, rooms used to store wine not in boxes or cartons should be darkened. The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines.

LED lighting
All Vinidor appliances feature the innovative LED lighting concept. LED lighting is integrated in the ceiling or in the insulation plates of each temperature zone. This innovative technology ensures uniform illumination of the interior. Since minimal heat is generated by the LEDs, wines can be presented bathed in light over a lengthy period without causing damage.

Wooden pull-out shelves
The Vinidor appliances are equipped with solid wooden shelves mounted on telescopic rails. The handcrafted shelves made from untreated wood are ideal for storing Bordeaux bottles safely, providing a clear view and easy access. Storing the bottles in opposite directions permits full use of the capacity.

Activated charcoal filter
Environmental odours can have an impact on wine stored for longer periods. Fresh air is supplied to Liebherr wine cabinets through the easily replaceable activated charcoal filter to ensure optimal air quality. In the Vinidor appliances each individual wine compartment has its own activated charcoal filter.

SwingLine
Most wine appliances feature door design with an elegant bevelled edge, with an embossed Liebherr logo on full door appliances.

PLUS X AWARD®
LIEBHERR
Design

reddot design award
winner 2008

WTes 4677

WTes 4677

Vinidor

Wine

Multi-temperature wine cabinets

The Vinidor series optimally combines the advantages of wine storage cabinets and multi-temperature wine cabinets in one appliance. This series offers two or three wine zones in which the temperature can be set separately for each zone to exact degrees. These appliances also ensure optimum temperature setting options when large amounts of wine need to be stored for long periods.

+5 °C to +20 °C

+5 °C to +20 °C

+5 °C to +20 °C

The solid **wooden pull-out shelves** offer convenient access to bottles. Charcoal air filtration, low vibration and a quiet compressor help to create the perfect environment for wine storage.

The **LED lighting** in the wine cooling compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with this innovative, no-heat LED lighting concept.

WKes 4177

GrandCru Vinothek

Wine

Wine storage cabinets

Wine storage cabinets are the ideal choice for storing large quantities of wine for longer periods. These appliances are also perfect for keeping wine, ready to drink at optimum drinking temperatures. The set temperature is kept constant and even throughout the cabinet.

+5 °C to +20 °C

The **lever handle** in the GrandCru range is ergonomically adapted to the respective door height. This practical door handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.

The wine storage cabinets of the GrandCru range are equipped with an accurate **electronic control system** with digital temperature display. With this control system the temperatures can be set to the degree required from a range of +5°C and +20°C. The Vinothek range can be set between +5°C and +20°C using a rotary control button.

Multi-temperature wine cabinets

Type/model numbers	WTes 4677 Vinidor	WT 4677 Vinidor	WTes 4177 GrandCru	WT 4126 Vinothek	WTes 1753 Vinidor
Max. No. of Bordeaux bottles 0.75 Ltr [1]	143	143	173	182	40
Total net capacity	379 litre	379 litre	394 litre	386 litre	135 litre
Energy efficiency class [2]	E	E	C	B	C
Energy consum. in 365 days/24 h [3]	383/1.047 kWh	383/1.047 kWh	252/0.690 kWh	207/0.567 kWh	252/0.688 kWh
Noise level re 1 pW	43 dB(A)	43 dB(A)	38 dB(A)	38 dB(A)	43 dB(A)
Climate rating [4]	SN-ST	SN-ST	SN-ST	SN-ST	SN-ST
Voltage/Connection rating	220-240 V/2.0 A	220-240 V/2.0 A	220-240 V/1.2 A	220-240 V/1.0 A	220-240 V/0.8 A
Wine storage compartment					
Humidity control via	switchable vent.	switchable vent.	Lava stone	Lava stone	switchable vent.
Defrosting	Automatic	Automatic	Automatic	Automatic	Automatic
Temperature zones	3	3	6	6	2
Temperature range	+5°C to +20°C	+5°C to +20°C	+5°C to +18°C	+5°C to +18°C	+5°C to +20°C
Adjustable cooling circuits	3	3	1	1	2
Door	tin. glazed door	tin. glazed door	tin. glazed door	steel	tin. glazed door
Colour	stainless steel	tinto	stainless steel	tinto	stainless steel
Slimline door handles	•	•	•	•	•
with integr. opening mechanism	•	•	•		
Interior light	LED	LED	•		LED
permanently activated/dimmable	• / •	• / •	• / –	– / –	• / •
Type of control	electronic	electronic	electronic	analogue	electronic
Temperature display	internal digital	internal digital	internal digital		internal digital
Child lock function	•	•	•		•
Fault: warning signal	vis. and audible	vis. and audible	vis. and audible		vis. and audible
Door open: warning signal	audible	audible	audible		audible
Dimensions					
Height x Width	185.5 x 66 cm	185.5 x 66 cm	165.8 x 66 cm	164.4 x 66 cm	85 x 59.7 cm
Depth incl. distance from wall	67.1 cm	67.1 cm	67.1 cm	67.1 cm	58.6 cm
Features					
Interface			HomeDialog-ready		
SmartSteel					
Design	SwingLine	SwingLine	SwingLine	SwingLine	HardLine
Shelf material	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf
Storage shelves	13	13	6	6	6
Wooden pull-out shelves on	10	10			4
telescopic rails					
Height-adjustable shelves			•	•	
Drawers for accessories					
Presentation boxes					
Activated charcoal filter	•	•	•	•	•
Lock	•	•	•	subsequently	
Door hinges	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible
Accessories (see page 84–87)	01, 06, 07	01	01, 06, 07, 09, 14, 15, 16	01, 09, 15, 16	01, 06, 07

1 These models are only bound for storing wine
Maximum DIN norm bordeaux bottles capacity (0.75 l) Vinidor/GrandCru as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm)
Maximum DIN norm bordeaux bottles capacity (0.75 l) Vinothek as per norm NF H 35-075 (H: 279 mm, Ø 76.5 mm)

2 With +25°C ambient temperature, switched-off interior light and +12°C interior temperature

3 Commission Delegated Regulation (EU) No 1060/2010

Wine storage cabinets

Type/model numbers	WK 6476 GrandCru	WK 4677 GrandCru	WKes 4177 GrandCru	WK 4127 Vinothek	WK 4126 Vinothek	WK 2926 Vinothek	WK 1802 Vinothek	WKes 653 GrandCru	ZKes 453 Humidor
	312	187	162	162	168	119	68	12	
	625 litre	444 litre	386 litre	386 litre	376 litre	268 litre	168 litre	38 litre	39 litre
	A	B	B	C	B	B	C	A	
	143/0.391 kWh	217/0.594 kWh	209/0.572 kWh	288/0.789 kWh	209/0.572 kWh	207/0.567 kWh	248/0.679 kWh	103/0.280 kWh	185/0.506 kWh
	44 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	41 dB(A)	42 dB(A)	41 dB(A)	
	SN-T	SN-ST	SN-ST	SN-ST	SN-T	SN-T	N-ST	SN	N
	220-240 V/2.0 A	220-240 V/1.2 A	220-240 V/1.2 A	220-240 V/1.2 A	220-240 V/1.0 A	220-240 V/1.0 A	220-240 V/1.0 A	220-240 V/0.5 A	220-240 V/0.5 A
	switchable vent.	switchable vent.	switchable vent.					switchable vent.	
	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
	1	1	1	1	1	1	1	1	1
	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+16°C to +20°C
	1	1	1	1	1	1	1	1	1
	steel	tin. glazed door	tin. glazed door	tin. glazed door	steel	steel	tin. glazed door	tin. glazed door	tin. glazed door
	tinto	tinto	stainless steel	tinto	tinto	tinto	tinto	stainless steel	stainless steel
	•	•	•	•	•	•	•		
	•	•	•						
	•	•	•	•			•	LED	LED
	– / –	• / –	• / –	• / –	– / –	– / –	• / –	• / •	• / •
	electronic	electronic	electronic	analogue	analogue	analogue	analogue	electronic	electronic
	external digital	internal digital	internal digital	internal digital	external digital	external digital	external analogue	internal digital	internal digital
	•	•	•					•	•
	vis. and audible	vis. and audible	vis. and audible					vis. and audible	vis. and audible
	audible	audible	audible					audible	audible
	193 x 74.7 cm	185.5 x 66 cm	165.8 x 66 cm	165.8 x 66 cm	164.4 x 66 cm	125 x 66 cm	88.9 x 60 cm	61.2 x 42.5 cm	61.2 x 42.5 cm
	75.9 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	67.1 cm	60.5 cm	47.8 cm	47.8 cm
	HomeDialog-ready	HomeDialog-ready	HomeDialog-ready						
								•	•
	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingLine	SwingDesign	HardLine	HardLine
	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	wooden shelf	zinced rails	wooden shelf	Span. cedar wood
	7	7	6	6	6	4	4	3	2
	•	•	•	•	•	•	•		
								1	
									2
	•	•	•	•	•	•	•	•	•
	•	•	•	subsequently	subsequently	subsequently	•	•	•
	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right, reversible	right	right
	01, 14, 15	01, 09, 14, 15	01,06,07,09,14,15	01, 09, 15	01, 09, 15	01, 09, 15	01, 17	01, 06, 07, 11	01, 06, 07, 11, 15

4 Climate Ratings: **SN** +10 °C to +32 °C **ST** +16 °C to +38 °C
N +16 °C to +32 °C **T** +16 °C to +43 °C

01 Active carbon filter

During prolonged storage, wines and cigars are sensitive to any odours that contaminate the storage environment. Liebherr appliances benefit from optimum air quality and freshness thanks to the easy-to-replace active carbon filter which is integrated into the wine compartment of the SBSes 7165 Side-by-Side fridge-freezer, into all wine cabinets, and into the humidor.

WKes 653; ZKes 453	7440 699
All other free-standing and built-in wine appliances	7440 999

02 Bottle shelf (wave-shaped rack)

The bottle shelf provides elegant and practical storage for drinks.

60 cm wide: **CNP; CN; CUN; CP 40, 34 CU 40, 35; CUP 35; CTP; CT; C 40, 35**	7112 446
60 cm wide: **CTN**	7112 824
55 cm wide: **CUP; CTP; CT; K;**	7112 822
60 cm wide: **CUP 32, 29**	7112 822
60 cm wide: **CBNP 39; CBN 39** (except CBNPes 3967)**, 36; KB; KP; K**	7112 448

SBS 7263, 7262, 7253, 7252, 7212, 6352	
60 cm wide: **CBNP 39; CBN 39** (except CBNPes 3967)**, 36; KB; KP; K**	7112 448
60 cm wide: **CBNP 37; CBN 37; CBP; CP 38, 34**	7112 442
75 cm wide: **CBNP** (except CBNP 5167)**; CBN**	7112 325
ICP; ICUNS; ICUS; ICN; IC; ICS; IKP; IK; IKS; EK	7112 849
75 cm wide: **CN;CTN**	7112 341

03 Cold storage accumulator

Freezers, and the freezer compartments of fridge-freezers are protected in the event of a power failure by the cold storage accumulator. This acts as an additional 'cold reserve' to prevent the temperature from rising in such circumstances, and thereby protects the frozen produce.

For all combination appliances and fridge-freezers; SBSes; GNP; GN	7422 838
GTP; GT; G	7412 053

IG; IGS; EG	7430 458

04 Freezer tray

The innovative freezer tray is perfect for freezing fruits, berries and herbs individually. Not only does this prevent them from sticking together, but it also ensures they retain their shape, and makes them easier to vacuum pack, and to divide into portions later on. In Premium models it is protected by the cold storage accumulator. When defrosting chest freezers, the freezer tray can be used to collect water. When not being otherwise used, it can be used as a space-saving partition wall.

60 cm wide: **CBNP 39; CBN 39, 36; SBS; CNP; CN; CUN; GNP; GN**	7426 080
60 cm wide: **CNP; CN; CUN; CP 40, 35 CUP 35; CU 40, 35; C 40, 35**	7430 662
G 2733, 2433, 2033	7426 356

GTP	7431 419
GT 42, 36, 30, 26, 21, 14	7431 389
GT 47, 37	7431 391
GT 61, 49	7431 387
All built-in appliances	7430 662

05 Three-metre hose for IceMaker/IceCenter

Three-metre extension hose for plumbed-in appliances (3/4" connection)

All plumbed-in appliances	6030 785

06 Stainless steel cleaner

The stainless steel cleaner reliably and gently removes fingerprints, streaks, and stains from stainless steel surfaces. It cleans quickly, without streaking, and also prevents the subsequent accumulation of stubborn dirt. (Not suitable for use on SmartSteel fronts.)

250 ml es/esf-models (stainless steel without SmartSteel)	8409 022

07 Stainless steel polish

For polishing stainless steel surfaces after they have been cleaned (do not use on SmartSteel).

50 ml es/esf-models (stainless steel without SmartSteel)	8409 028
250 ml es/esf-models (stainless steel without SmartSteel)	8409 030

08 Vario energy-saving panel

If not all the inside storage space is being used, the unused drawers in NoFrost freezers, and the entire internal space in BioFresh refrigerators, can be sealed off using the Vario energy-saving panel. This is available as an accessory, and when used can reduce energy consumption by as much as 50%.

SBS 8283, 7263, 7262, 7253, 7252, 7212, 6352; G 2733, 2433, 2033; 60 cm wide: **GNP; GN**	9988 086-00*
70 cm wide: **GNP; GN**	9988 921-00*

* Sales product number

09 Presentation shelf (wooden folding shelf)

Available as an accessory for the 66 cm-wide wine cabinets, the shelf can be used to present exquisite wines, or to safely store already-opened bottles.

WK 46, 41, 29; WT 41	7112 477

10 Water filter

Replacement for the integrated water filter. Provides perfect water quality every time in appliances with an IceMaker and IceCenter. The electronic control unit indicates when the water filter needs to be replaced.

SBSes 8283; CBNes 6256	7440 002

11 Underside cover for wall mounting

Covers the underside, enabling compact appliances to be attractively wall mounted without their underside being visible.

WKes 653; ZKes 453	9590 519

12 Retrofit lock kit

To prevent unwanted access, the lock can be simply installed on chest freezers and the Vinothek wine cabinets.

Comfort GT 21-61	9590 835
Vinothek WK 41, 29; WT 41	9590 725

13 HomeDialog master module

HomeDialog can be used to display, manage and control up to six appliances via the display screen on the PremiumPlus combination fridge-freezers. The master appliance requires a HomeDialog master module to communicate with other networked appliances.

CBNPes 5167, 3967	9988 178

14 HomeDialog slave module

HomeDialog can be used to display, manage and control up to six appliances via the display screen on the PremiumPlus combination fridge-freezers. The appliance to be networked requires a HomeDialog slave module to communicate with the master appliance.

GNP 1956-3056, 2666-4166; K, KB Premium; B 2756; CN; CNP; CBN; CBNP; SBS Premium; SBS PremiumPlus	9988 176

GrandCru WK 64, 46, 41, 29; GrandCru WT 41	9988 074
Retrofit kit additionally required	9590 585

15 Wooden shelf

The handcrafted shelf, made from natural wood, is the perfect accessory for safely storing Bordeaux bottles. Positioning the bottles in opposite directions enables full use of the shelf's capacity.

WK 46, 41, 29; WT 41	7112 479
WK 6476	7112 327

16 Retrofit lava stone kit

The humidity in the GrandCru multi-temperature wine cabinets can be increased as required using lava stones.

WT 41	9590 785

17 Galvanised grill shelf

Grill shelf for additional requirements.

WK 1806, 1802	7112 625

18 Additional baskets for chest freezers

Versatility is increased by the use of additional baskets. These make it easier to sort small frozen food items, and facilitate easier access to stored produce.

GTP 2356	7112 317
GTP 2756	7112 251

GT 61, 49	7112 725
GT 47, 37	7112 727
GT 42, 36, 30, 26, 21, 14	7112 947